

# Videnskabelige publikationer af Morten Høgsbro (OrcID: 0000-0001-7748-3379)

Larsen MH, Lunde AM, Flensberg K (2002) Conductance of Rashba spin-split systems with ferromagnetic contacts. Phys Rev B 66:33304

Pedersen BD, Faarvang KL, Larsen MH, Ringsted C (2008) Why do we need mandatory communication courses for pre-registration house officers? Ugeskr Laeger 170:3544–3546

Sundbøll J, Pareek M, Høgsbro M, Madsen EH (2014) Iatrogenic takotsubo cardiomyopathy induced by locally applied epinephrine and cocaine. BMJ Case Rep 2014:.. <https://doi.org/10.1136/bcr-2013-202401>

Høgsbro M, Agger A, Johansen LV (2015) Successful loading of a bone-anchored hearing implant at two weeks after surgery: randomized trial of two surgical methods and detailed stability measurements. Otol Neurotol 36:e51-7.  
<https://doi.org/10.1097/MAO.0000000000000647>

Høgsbro M, Agger A, Johansen LV (2015) Bone-anchored Hearing Implant Surgery : Randomized Trial of Dermatome Versus Linear Incision Without Soft Tissue Reduction - Clinical Measures. Otol Neurotol 36:805–11.  
<https://doi.org/10.1097/MAO.0000000000000731>

Høgsbro M, Agger A, Johansen LV (2017) Successful loading of a bone-anchored hearing implant at 1 week after surgery. Otol Neurotol 38:207–211.  
<https://doi.org/10.1097/MAO.0000000000001312>

Høgsbro M, Agger A, Johansen LV (2017) Bone Anchored Hearing Implant Surgery: 1 Year Follow-Up Data Shows No Effect of Hydroxyapatite Coating on Soft Tissue Reaction After Loading at 1 Week. Otol Neurotol 38:e152–e158.  
<https://doi.org/10.1097/MAO.0000000000001442>

Grøndal AYK, Høgsbro M, Pryds K, Pedersen, Henrik Baymler Jacobsen H Effect of LigaSure™ Small Jaw in Patients Undergoing Total and Hemithyroidectomy – A register-based study.

Høgsbro M, Agger A, Johansen LV, Gaihede M (2020) In Vitro Investigation of the Dependency Between Abutment Length and Implant Stability Quotient (ISQ) for Stability Measurements on Bone Anchored Hearing Implant Systems. Otol Neurotol.  
<https://doi.org/10.1097/mao.0000000000002620>

Feeckings K, Giacomodonato R, Høgsbro M (2020) Synovial chondromatosis of the middle ear: a rare differential diagnosis to cholestea-toma. *BMJ Case Reports*, <http://dx.doi.org/10.1136/bcr-2021-242479>

Siggaard, L. D., Jacobsen, H., Hougaard, D. D., & Høgsbro, M. (2023). Digital vs. physical ear-nose-and-throat specialist assessment screening for complicated hearing loss and serious ear disorders in hearing-impaired adults prior to hearing aid treatment: a randomized controlled trial. *Frontiers in Digital Health*, 5, 1182421.

Siggaard, L. D., Jacobsen, H., Hougaard, D. D., Khaled, M. S., & Høgsbro, M. (2023). Cross-Cultural Translation and Adaptation of the Consumer Ear Disease Risk Assessment (CEDRA) Questionnaire in Danish. *Audiology Research*, 13(6), 859-870.

Siggaard, L. D., Jacobsen, H., Hougaard, D. D., & Hoegsbro, M. (2023). Effects of remote ear-nose-and-throat specialist assessment screening on self-reported hearing aid benefit and satisfaction. *International Journal of Audiology*, 1-10.

Siggaard, L. D., Jacobsen, H., Hougaard, D. D., & Høgsbro, M. (2024). Remote screening accuracy of first-time hearing aid users. *Danish Medical Journal*, 71(4), A08230501.

Siggaard, L. D., Hougaard, D. D., Jacobsen, H., & Høgsbro, M. (2021). InHEAR Innovation af høreområdet og effekt af reform.